



September 11, 2008

Ms. Linda Kidwell  
GALION CITY SCHOOL DISTRICT BOARD  
470 Portland Way North  
Galion, Ohio 44833

Re: Galion City Schools Demolition Project  
Former Galion High School Soil Sampling Event  
Bureau Veritas Project #08007-107092.07

Dear Ms. Kidwell:

Bureau Veritas North America (Bureau Veritas), is providing this correspondence on behalf of the Galion City Schools to summarize the soil sampling event conducted at the former High School located at 200 North Union Street in Galion, Ohio on August 26, 2008.

Numbered grids were developed for the site representing the building footprint. Following the removal of all demolition debris, Bureau Veritas representative, Mr. Robert Stevens, an Ohio Department of Health (ODH) certified asbestos hazard evaluation specialist (Accreditation No. ES33439, expiration date: October 18, 2008) collected nine (9) composite soil samples (composited from three grab samples within each grid) at random from the numbered grid developed for the demolition site.

The soil samples were submitted to the Bureau Veritas asbestos laboratory located in Kennesaw, Georgia for analysis by Polarized-Light Microscopy (PLM), following the USEPA PLM method USEPA/600R-93/116 (July 1993) and USEPA Method 600/M4-82-020. The Bureau Veritas asbestos laboratory is accredited by the National Voluntary Laboratory Accreditation Program (NVLAP). Samples were transported utilizing proper chain-of-custody controls.

No asbestos was detected in nine (9) of the soil samples submitted for laboratory analysis. All of the samples were below the OEPA recommended clearance criteria of less than one percent asbestos. The laboratory report is included as Attachment A.

Bureau Veritas North America, Inc.

*Health, Safety, and Environment Services*

500 South Main Street, Suite 2000

Akron, Ohio 44311

Attn: (200) 350-0100

Fax: (200) 350-0100

www.bureauveritas.com

*Savannah Ely*

dotloop verified  
01/17/19 10:56 AM EST  
NL16-ZH86-CFLW-ULIV

*Jeremy A Ely*

dotloop verified  
01/17/19 10:35 AM EST  
QTKQ-HOCL-NYNK-XF05

Gallion City School Demolition Project  
Soil Sampling Event-  
Former High School



Bureau Veritas Project No. 08007-107092.07

September 11, 2008

In the event that any additional information is required regarding the project, please do not hesitate to contact the Bureau Veritas office at 800.331.3044 or me at 330.351.0528 (cell phone).

Sincerely;

**Bureau Veritas North America, Inc.**

**Prepared by:**

A handwritten signature in cursive script, reading "Robert J. Stevens".

Robert J. Stevens  
Project Manager  
*Health, Safety, & Environmental Services*

**Reviewed by:**

A handwritten signature in cursive script, reading "Andrew Stewart".

Andrew Stewart  
Senior Project Manager  
*Health, Safety, & Environmental Services*

Gallion City Scholl Demolition Project  
Soil Sampling Event-  
Former North High School



Bureau Veritas Project No. 08007-107092.07

September 11, 2008

**ATTACHMENT A**  
**Laboratory Report**



September 03, 2008

Bob Stevens  
BUREAU VERITAS - CLEVELAND  
520 S. Main Street  
Suite 2444  
Akron, OH 443311101

Bureau Veritas Work Order No. A0808212

Reference: 08007-107092.07

Dear Bob Stevens:

Bureau Veritas North America, Inc. received 9 samples on 8/29/2008 1:37:46 PM and reported on 9/3/2008 8:08:34 AM for the analyses presented in the following report.

The results apply only to the samples analyzed in this project. Please note that any unused portion of the samples will be discarded after a thirty-day holding period, unless you have requested otherwise.

We appreciate the opportunity to assist you. If you have any questions concerning the report, please contact the analyst whose name appears on the report or myself at (770) 499-7500.

Sincerely,

Kuntal Parikh  
Senior Microscopist

Bureau Veritas North America, Inc.

10000 Lakeside Drive, Suite 200  
Houston, Texas 77057-1100  
Phone: (713) 261-1100

Phone: (770) 499-7500  
Fax: (770) 499-7501  
www.bureauveritas.com



## ANALYTICAL RESULTS

Date: 03-Sep-08

CLIENT: BUREAU VERITAS - CLEVELAND

Sample Type: Bulk

Work Order No.: A0808212

Date Received: 8/29/2008

Client Reference: 08007-107092.07

Report Date: 03-Sep-08

Method Reference: EPA-600/M4-82-020/EPA/600/R-93/116/NYELAP 198.1

Lab ID	Client Sample ID				Analyst	Date Sampled	Date Analyzed		
<u>001A</u>	SHS-1				TD	08/26/2008	09/02/2008		
	Layer	POB	Sample Morphology		Asbestos	%	Other Fibers	%	Particulate
	(1)	100	Homogeneous	Brown Soil	None Detected		Non-Detected		Binder/Filler Rock
<u>002A</u>	SHS-2				TD	08/26/2008	09/02/2008		
	Layer	POB	Sample Morphology		Asbestos	%	Other Fibers	%	Particulate
	(1)	100	Homogeneous	Brown Soil	None Detected		Non-Detected		Binder/Filler Rock
<u>003A</u>	SHS-3				TD	08/26/2008	09/02/2008		
	Layer	POB	Sample Morphology		Asbestos	%	Other Fibers	%	Particulate
	(1)	100	Homogeneous	Brown Soil	None Detected		Cellulose fiber	10%	Binder/Filler Rock
<u>004A</u>	SHS-4				TD	08/26/2008	09/02/2008		
	Layer	POB	Sample Morphology		Asbestos	%	Other Fibers	%	Particulate
	(1)	100	Homogeneous	Brown Soil	None Detected		Cellulose fiber	10%	Binder/Filler Rock
<u>005A</u>	SHS-5				TD	08/26/2008	09/02/2008		
	Layer	POB	Sample Morphology		Asbestos	%	Other Fibers	%	Particulate
	(1)	100	Homogeneous	Brown Soil	None Detected		Non-Detected		Binder/Filler Rock
<u>006A</u>	SHS-6				TD	08/26/2008	09/02/2008		
	Layer	POB	Sample Morphology		Asbestos	%	Other Fibers	%	Particulate
	(1)	100	Homogeneous	Brown Soil	None Detected		Cellulose fiber	5%	Binder/Filler Rock

The reliable limit of quantitation of the method is 1%, although asbestos may be qualitatively detected at concentrations less than 1%. Samples which asbestos is detected at <1% are reported as trace, "<1%". "None Detected" indicates that no asbestos fibers were observed.

Analyst(s) Name/Date:

*William D. If*

9/3/2008



# ANALYTICAL RESULTS

Date: 03-Sep-08

CLIENT: BUREAU VERITAS - CLEVELAND

Sample Type: Bulk

Work Order No.: A0808212

Date Received: 8/29/2008

Client Reference: 08007-107092.07

Report Date: 03-Sep-08

Method Reference: EPA-600/M4-82-020/EPA/600/R-93/116/NYELAP 198.1

Lab ID	Client Sample ID				Analyst	Date Sampled	Date Analyzed		
<u>007A</u>	SHS-7				TD	08/26/2008	09/02/2008		
	Layer	POB	Sample Morphology		Asbestos	%	Other Fibers	%	Particulate
	(1)	98	Homogeneous	Brown Soil	None Detected		Non-Detected		Binder/Filler Rock
	(2)	2	Homogeneous	White Mineral Mixture	None Detected		Non-Detected		Binder/Filler
<u>008A</u>	SHS-8				TD	08/26/2008	09/02/2008		
	Layer	POB	Sample Morphology		Asbestos	%	Other Fibers	%	Particulate
	(1)	100	Homogeneous	Brown Soil	None Detected		Non-Detected		Binder/Filler Rock
<u>009A</u>	SHS-9				TD	08/26/2008	09/02/2008		
	Layer	POB	Sample Morphology		Asbestos	%	Other Fibers	%	Particulate
	(1)	100	Homogeneous	Brown Soil	None Detected		Non-Detected		Binder/Filler Rock

## Microscope Documentation

Instrument	Manufacturer	Model	Description
PLM 1	Olympus	BH-2	AS-OL-2B PLM Microscope

The reliable limit of quantitation of the method is 1%, although asbestos may be qualitatively detected at concentrations less than 1%. Samples which asbestos is detected at <1% are reported as trace, "<1%". "None Detected" indicates that no asbestos fibers were observed.

Analyst(s) Name/Date:

*Jill M. D. [Signature]*

9/3/2008



# ASBESTOS INSPECTION CHAIN OF CUSTODY FORM

Name: Bureau Veritas North America, Inc.  
Address: 520 S. Main Street, Suite 2444  
City, State, Zip: Akron, Ohio 44311

Sampling Date: 8/26/08

Name: Gallon City School Demolition  
Address: High School  
City, State, Zip: Gallon, Ohio

A0808212

Bureau Veritas Project #: 08007-107092.07

Bulk Sample I.D. # SHS-1 HA # 1 Suspect Material Description Soil Classification SM MA Location Gallon High School Demo

Bulk Sample I.D. # SHS-2 HA # 2 Suspect Material Description Soil Classification SM MA Location Gallon High School Demo

Bulk Sample I.D. # SHS-3 HA # 3 Suspect Material Description Soil Classification SM MA Location Gallon High School Demo

Bulk Sample I.D. # SHS-4 HA # 4 Suspect Material Description Soil Classification SM MA Location Gallon High School Demo

Bulk Sample I.D. # SHS-5 HA # 5 Suspect Material Description Soil Classification SM MA Location Gallon High School Demo

Bulk Sample I.D. # SHS-6 HA # 6 Suspect Material Description Soil Classification SM MA Location Gallon High School Demo

Bulk Sample I.D. #	HA #	Suspect Material Description	Classification	MA Location	Sample Location	Comments and Observations		Laboratory Results
						Condition	Dam. Qty.	
SHS-1	1	Soil	SM	Gallon High School Demo	Grid 3			
SHS-2	2	Soil	SM	Gallon High School Demo	Grid 4			
SHS-3	3	Soil	SM	Gallon High School Demo	Grid 15			
SHS-4	4	Soil	SM	Gallon High School Demo	Grid 21			
SHS-5	5	Soil	SM	Gallon High School Demo	Grid 27			
SHS-6	6	Soil	SM	Gallon High School Demo	Grid 32			

Collected by (print): Robert Stevens

Relinquished by: Robert Stevens Date/Time: 8/26/08

Relinquished by: Robert Stevens Date/Time: 8/26/08

Method of Shipment: Truck

Authorized by: Robert Stevens Date/Time: 8/26/08

Sample Condition Upon Receipt: Acceptable Other (Explain) None

8/7/2008



# ASBESTOS INSPECTION CHAIN OF CUSTODY FORM

Sampling Date: 5/26/05

Name:	Bureau Veritas North America, Inc.
Address:	520 S. Main Street, Suite 2444
City, State, Zip:	Akron, Ohio 44311




Name:	Galion City School Demolition
Address:	High School
City, State, Zip:	Galion, Ohio

Page 1 of 1

Bureau Veritas Project #:	08007-107092-07
---------------------------	-----------------

Bureau Veritas Project Manager:	Robert Stevens
---------------------------------	----------------

Bulk Sample I.D. #	HA #	Suspect Material Description	Classification	HA Location	Sample Location	Comments and Observations		Laboratory Results
						Condition	Total Qty.	
S45-7		Soil	SM MM TSI	Galion High School Drone	Grid 37			
S45-8		Soil	SM MM TSI	Galion High School Drone	Grid 45			
S45-9		Soil	SM MM TSI	Galion High School Drone	Grid 49			
			SM MM TSI					
			SM MM TSI					
			SM MM TSI					
			SM MM TSI					

Collected by (print): Robert Stevens	Collector's Signature: 
Relinquished by: 	Received by: 
Relinquished by:	Received by:
Method of Shipment:	Received at Lab by:
Authorized by:	Sample Condition Upon Receipt: <input checked="" type="checkbox"/> Acceptable <input type="checkbox"/> Other (Explain)
(Client Signature MUST Accompany Request)	

8/17/2008



**EXHIBIT A**  
**Legal Description of the Property**

PARCEL #1:

SITUATED IN THE COUNTY OF CRAWFORD, IN THE STATE OF OHIO, AND IN THE CITY OF GALION, AND BOUNDED AND DESCRIBED AS FOLLOWS:

KNOWN AS BEING THE NORTH PART OF OUTLOT NUMBER THREE HUNDRED TWENTY-FIVE (325) OF THE OUTLOTS OF THE CITY OF GALION, OHIO, AS THE OUTLOTS OF SAID CITY ARE KNOWN AND NUMBERED ACCORDING TO THE NEW OR REVISED NUMBERS THEREOF; AND MORE PARTICULARLY DESCRIBED AS ALL THAT PART OF OUTLOT 325 OF THE OUTLOT OF THE CITY OF GALION, OHIO, BOUNDED AND DESCRIBED AS FOLLOWS:

BEGINNING AT A POINT ON THE WEST LINE OF NORTH UNION STREET WHERE THE BOUNDARY LINE BETWEEN OUTLOTS 295 AND 325 INTERSECTS NORTH UNION STREET AND BEING THE NORTHEAST CORNER OF SAID OUTLOT #325; THENCE WEST ALONG THE LINE BETWEEN OUTLOTS 295 AND 325 ABOUT 380 FEET TO THE WEST LINE OF OUTLOT 325; THENCE SOUTHERLY ALONG THE LINE BETWEEN OUTLOT 325 AND INLOT ONE THOUSAND EIGHT (1008) ONE HUNDRED AND SIXTY-FIVE (165) FEET; THENCE EAST PARALLEL WITH THE NORTH LINE OF SAID OUTLOT NO. 325 TO WEST LINE OF NORTH UNION STREET; THENCE NORTH ALONG THE WEST LINE OF NORTH UNION STREET 165 FEET TO THE PLACE OF BEGINNING, CONTAINING 228-3/4 SQUARE RODS, MORE OR LESS.

PARCEL #2:

SITUATED IN THE CITY OF GALION, IN THE COUNTY OF CRAWFORD AND STATE OF OHIO, TO-WIT:

BEING ALL THAT PART OF OUTLOT NUMBER THREE HUNDRED AND TWENTY FIVE (325) OF THE NEW OR REVISED NUMBERS OF OUTLOTS OF THE SAID CITY OF GALION, OHIO, BOUNDED AND DESCRIBED AS: BEGINNING AT A POINT ON THE WEST LINE OF NORTH UNION STREET ONE HUNDRED AND SIXTY-FIVE (165) FEET SOUTHERLY FROM THE NORTHEAST CORNER OF SAID OUTLOT NUMBER 325, THENCE WESTERLY ALONG THE SOUTH LINE OF LAND OWNED BY THE BOARD OF EDUCATION OF THE GALION CITY SCHOOL DISTRICT TO THE WEST LINE OF OUTLOT NUMBER 325; THENCE SOUTHERLY ALONG THE WEST LINE OF SAID OUTLOT NUMBER 325, TWO HUNDRED FIFTEEN AND ONE-HALF (215 ½) FEET TO THE NORTH LINE OF CHURCH STREET; THENCE EAST ALONG THE NORTH LINE OF CHURCH STREET THREE HUNDRED FIFTY-EIGHT AND ONE-HALF (358 ½) FEET TO THE WEST LINE OF NORTH UNION STREET; THENCE NORTH ALONG THE WEST LINE OF NORTH UNION STREET TWO HUNDRED FOURTEEN AND ONE-HALF (214 ½) FEET TO THE PLACE OF BEGINNING, CONTAINING ONE AND EIGHT-TENTHS (1.8) ACRES, MORE OR LESS; AND BEING ALL OF OUTLOT NUMBER 325 EXCEPT

SUCH AS HAS HERETOFORE BEEN CONVEYED TO SAID BOARD OF EDUCATION OF THE GALION CITY SCHOOL DISTRICT.

PARCEL #3:

SITUATED IN THE CITY OF GALION, COUNTY OF CRAWFORD AND STATE OF OHIO: BEING INLOT NUMBER ONE THOUSAND AND EIGHT (1008) AS THE INLOTS OF SAID CITY ARE CONSECUTIVELY NUMBERED AND ALSO THE NORTH ONE-HALF (1/2) VACATED ALLEY SHOWN AT DEED VOLUME 448, PAGE 466.

PARCEL #4:

SITUATED IN THE COUNTY OF CRAWFORD, IN THE CITY OF GALION, AND BOUNDED AND DESCRIBED AS FOLLOWS:

BEING FOR INLOT TEN HUNDRED AND SEVEN (1007) OF THE REVISED CONSECUTIVE NUMBERS IN SAID CITY OF GALION, OHIO. EXCEPT ALL THAT PART OF LOT 1007 IN GILLS ADDITION LYING NORTH OF THE NORTH LINE OF OUTLOT 295 EXTENDED WEST TO BOSTON STREET, SHOWN AT DEED VOLUME 89, PAGE 399. SAID PARCEL NOW KNOWN AS ENTIRE INLOT 1007.

PARCEL #5:

SITUATED IN THE CITY OF GALION, COUNTY OF CRAWFORD AND STATE OF OHIO, AND DESCRIBED AS FOLLOWS:

BEING A PART OF THE NORTHEAST QUARTER (1/4) OF SECTION NUMBER THIRTY-ONE (31), IN TOWNSHIP NUMBER TWENTY (20) OF RANGE NUMBER TWENTY (20) LINED AND BOUNDED AS FOLLOWS: BEGINNING AT A STAKE AT THE NORTHEAST CORNER OF THE LUTHERN AND BEFORMED BURYING GROUND; THENCE SOUTH EIGHTY-NINE AND ONE-HALF (89 1/2) DEGREES WEST ALONG THE NORTH LINE OF SAID BURYING GROUND TO THE WEST LINE OF SAID QUARTER SECTION TWENTY-THREE (23) RODS; THENCE NORTH ON SAID WEST LINE SIX AND NINETY-SIX HUNDREDTHS (6.96) RODS TO A STAKE; THENCE NORTH EIGHTY-NINE AND ONE-HALF (89 1/2) DEGREES, EAST TWENTY-THREE (23) RODS; THENCE SOUTH ONE-HALF (1/2) DEGREE, EAST SIX AND NINETY-SIX HUNDREDTHS (6.96) RODS TO THE PLACE OF BEGINNING, CONTAINING ONE ACRE, NOW KNOWN AND DESCRIBED AS BEING OUTLOT NUMBER TWO HUNDRED AND NINETY-FIVE (295) OF THE OUTLOTS OF THE CITY OF GALION, OHIO, FORMERLY OCCUPIED FOR CEMETERY PURPOSES BY ST. JOSEPH CONGREGATION IN GALION, OHIO.

# SANITARY INVERTS

SAN. IN. # 482  
T.C. -1181.11'  
BY. 12" (CLAY PIPE) 1183.40' (EAST)  
BY. 6" (CLAY PIPE) 1183.53' (SOUTH)

SAN. IN. # 535  
T.C. -1184.37'  
BY. 6" (CLAY PIPE) 1180.70' (NORTH)

SAN. IN. # 878  
T.C. -1181.50'  
BY. 6" (CLAY PIPE) 1182.31' (NORTH)  
BY. 6" (CLAY PIPE) 1182.27' (SOUTH)

SAN. IN. # 890  
T.C. -1184.70'  
BY. 6" (CLAY PIPE) 1183.25' (EAST)  
BY. 6" (CLAY PIPE) 1183.26' (EAST)  
BY. 12" (CLAY PIPE) 1183.65' (WEST)

SAN. IN. # 1234  
T.C. -1182.14'  
BY. 6" (CLAY PIPE) 1183.32' (NORTH)  
BY. 6" (CLAY PIPE) 1183.20' (WEST)

# STORM INVERTS

STORM IN. # 360  
T.C. -1184.81'  
BY. 12" (CLAY PIPE) 1183.22' (WEST)  
BY. 12" (CLAY PIPE) 1184.07' (EAST)  
BY. 12" (CLAY PIPE) 1183.16' (EAST)  
BY. 6" (CLAY PIPE) 1183.58' (EAST)

STORM IN. # 361  
T.C. -1184.81'  
BY. 12" (CLAY PIPE) 1187.37' (NO. WITH ROAD)

STORM IN. # 368  
T.C. -1185.41'  
BY. 12" (CLAY PIPE) 1187.28' (EAST)  
BY. 6" (CLAY PIPE) 1188.08' (EAST)

STORM IN. # 443  
T.C. -1181.04'  
BY. 12" (CLAY PIPE) 1186.92' (EAST)  
BY. 12" (CLAY PIPE) 1185.82' (WEST)  
BY. 12" (CLAY PIPE) 1186.82' (WEST)

STORM IN. # 878  
T.C. -1181.50'  
BY. 6" (CLAY PIPE) 1184.20' (WEST)  
BY. 6" (CLAY PIPE) 1180.87' (NORTH)  
BY. 12" (CLAY PIPE) 1185.48' (SOUTH)

STORM IN. # 897  
T.C. -1180.88'  
BY. 6" (CLAY PIPE) 1187.28' (NORTH)  
BY. 6" (CLAY PIPE) 1187.28' (SOUTH)  
BY. 6" (CLAY PIPE) 1187.48' (EAST)

STORM IN. # 1000  
T.C. -1181.10'  
BY. 6" (CLAY PIPE) 1184.70' (EAST)

STORM IN. # 1035  
T.C. -1181.88'  
BY. 6" (CLAY PIPE) 1187.56' (NORTH)  
BY. 6" (CLAY PIPE) 1187.88' (EAST)  
BY. 6" (CLAY PIPE) 1187.71' (EAST)  
BY. 6" (CLAY PIPE) 1187.84' (EAST)  
BY. 12" (CLAY PIPE) 1187.18' (SOUTH)  
BY. 6" (CLAY PIPE) 1184.58' (EAST)

STORM IN. # 1070  
T.C. -1181.24'  
BY. 6" (CLAY PIPE) 1187.81' (NORTH)  
BY. 6" (CLAY PIPE) 1187.80' (EAST) 1 TO  
WIDEWAY

STORM IN. # 1232  
T.C. -1181.83'  
BY. 6" (CLAY PIPE) 1184.81' (WEST)

STORM IN. # 1233  
T.C. -1181.81'  
BY. 6" (CLAY PIPE) 1185.51' (EAST)

STORM IN. # 1263  
T.C. -1184.18'  
BY. 10" (CLAY PIPE) 1184.30' (NORTH)  
BY. 10" (CLAY PIPE) 1184.22' (SOUTH)  
BY. 10" (CLAY PIPE) 1184.52' (WEST)

STORM IN. # 1373  
T.C. -1181.48'  
BY. 6" (CLAY PIPE) 1187.71' (WEST)

STORM IN. # 1374  
T.C. -1181.48'  
BY. 6" (CLAY PIPE) 1187.48' (EAST)

# LINE TABLE

LINE	THICKNESS	DESCRIPTION
1	12"	CLAY PIPE
2	12"	CLAY PIPE
3	12"	CLAY PIPE
4	12"	CLAY PIPE
5	12"	CLAY PIPE
6	12"	CLAY PIPE

# REFERENCES

\*1 N 01°44'00" W 1.73'  
\*2 N 01°43'31" W 1.18'

# BENCHMARKS

BENCHMARK #1: CONCRETE OVER STEELER NOZZLE ON A FOUNDATION AT THE INTERSECTION OF CHURCH STREET AND UNION STREET. ELEV. -1184.22' (D.M. 84 DATUM)

BENCHMARK #2: IRON NAIL SET IN LIGHT POLE ON NORTH PROPERTY LINE. ELEV. -1184.38' (D.M. 84 DATUM)

BENCHMARK #3: CONCRETE OVER STEELER NOZZLE ON A FOUNDATION AT THE EAST END OF BOSTON STREET. ELEV. -1184.08' (D.M. 84 DATUM)

BENCHMARK #4: CONCRETE OVER STEELER NOZZLE ON A FOUNDATION AT THE INTERSECTION OF CHURCH STREET AND BOSTON STREET. ELEV. -1184.81' (D.M. 84 DATUM)

BENCHMARK #5: IRON NAIL SET IN TELEPHONE POLE ON THE EAST SIDE OF UNION STREET. ELEV. -1184.84' (D.M. 84 DATUM)

# DESCRIPTION

BEING ALL OF LOT 127, 284, AND OUT LOT 284, PART OF OUT LOT 338, AND OUT LOT 332, ALL OF BLOCK 1007, AND PART 1008, AND PART OF A 1845' WIDE ALLEY OF THE CONSECUTIVELY ADJACENT LOTS OF THE CITY OF CHICAGO, CHICAGO COUNTY, ILL.

# LEGEND

FOUND	SET	8/8" IRON PIN, UNLESS NOTED
○	⊙	3/4" IRON PIPE, UNLESS NOTED
△	⊕	NAIL SPK
◇	⊗	PK NAIL
×	⊗	DRILL HOLE
⊗	⊗	VERTICAL CONTROL POINT
⊗	⊗	TREE
⊗	⊗	BUSH
⊗	⊗	TELEPHONE POLE
⊗	⊗	STRAIN POLE
⊗	⊗	POWER, TELEPHONE, AND LIGHT POLE
⊗	⊗	POWER CABLE POLE
⊗	⊗	POWER POLE
⊗	⊗	LIGHT POLE
⊗	⊗	FLAG POLE
⊗	⊗	BOLLARD
⊗	⊗	STON 1 POST
⊗	⊗	YARD LIGHT
⊗	⊗	WATER VALVE
⊗	⊗	WATER SERVICE VALVE
⊗	⊗	FIRE HYDRANT
⊗	⊗	SANITARY MANHOLE
⊗	⊗	STORM MANHOLE
⊗	⊗	CATCH BASIN
⊗	⊗	ELECTRIC LINE
⊗	⊗	WATER LINE
⊗	⊗	TELEPHONE LINE
⊗	⊗	SANITARY LINE
⊗	⊗	STORM LINE
⊗	⊗	WATER LINE

# NOTES

1. MOST SHOWN UTILITIES SHOWN HEREIN ARE BASED UPON DATA SUPPLIED BY THE CHICAGO DEPARTMENT OF PUBLIC WORKS. ALL UTILITIES SHOWN SHOULD BE FIELD VERIFIED FOR LOCATION AND DEPTH. DEPT. OF PUBLIC WORKS, 11-00-000-001.
2. THE SHOWN SHOWN HEREIN ARE BASED UPON DATA SUPPLIED BY THE CHICAGO DEPARTMENT OF PUBLIC WORKS. ALL UTILITIES SHOWN SHOULD BE FIELD VERIFIED FOR LOCATION AND DEPTH. DEPT. OF PUBLIC WORKS, 11-00-000-001.

# SURVEYOR'S STATEMENT

WE HEREBY STATE TO BEAD OF CHICAGO THAT THE DRAWING HEREIN IS REPRESENTATIVE OF AN ACTUAL SURVEY PERFORMED BY US OR BY A PERSON UNDER OUR CLOSE SUPERVISION AND THAT THE INFORMATION IS TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

BRETT R. TERPIL, P.S.  
PROFESSIONAL SURVEYOR NO. 0181  
DATE: 12/07/07

SHEET NO. 111  
TOPOGRAPHIC SURVEY FOR  
GALLION HIGH SCHOOL

SCALE:	REVISIONS:
AS NOTED	
FILE NO. 08-148	
DATE: 12/07/07	

ENGINEERS - SURVEYORS  
P.O. Box 1417  
Chicopee, MA 01020  
Tel: (413) 542-7137  
Fax: (413) 542-7177  
www.terpils.com

akever  
& Associates, Inc.  
111-000-000-000

